

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1325	(verify\$3 check\$4 verifier ) and (overflow same stack) and ((bytecode instruction code operand) modify\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:21
L2	877	(verify\$3 check\$4 verifier ) and (overflow same stack) and ((bytecode instruction code operand) with (extend\$3 convert\$3 modify\$4 chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:22
L3	294	2 and ((platform architectur\$3) with ("instruction set" size difference format discrepanc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:24
L4	199	3 and (stack with overflow) and ((instruction operand code) with (reconvert\$4 reconfigur\$4 recompile\$3 modif\$4 alter\$3 chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:25
L5	184	4 and ((16-bit 8-bit 64-bit 2-byte 4-byte word 2-word larger smaller) with (size address word stack))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:27
L6	5	5 and ((convert\$4 reconvert\$3 modif\$4) same code).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:29
L7	0	5 and ((convert\$4 reconvert\$3 modif\$4) same code) and overflow.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:31
L8	20	5 and ((convert\$4 reconvert\$3 modif\$4) with code) and stack.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:31

## EAST Search History

L9	20	8 and (stack same overflow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:34
L10	15	9 and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:34
L11	10	10 and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:35
L12	9	11 and ((code instruction) with (rewrit\$4 modif\$4 rearrang\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 14:36